

Dealing with uncertainty in ATM - the Flight Level Assignment problem

Akli FUNDO¹

Jean-Benoist LEGER²
Chenghao WANG²

Dritan NACE²

¹ University Polytechnic of Tirana, Sheshi Nene Tereza, Tirana, Albania

² Université de technologie de Compiègne, Heudiasyc, Compiègne, France

{jbleger, dnace, wachengh}@hds.utc.fr

Mots-clés : *Robust Optimization, Flight Level Assignment, Gaussian Mixture Distribution*

1 Introduction

The aircraft will be required to follow a negotiated conflict-free trajectory in the future ATM (Air Traffic Management) system, accurately defined in 4 dimensions (Waypoint composed of longitude and latitude, Altitude and Time) in order to reduce the need of controller's intervention during the tactical phase. Instead of rerouting aircraft's trajectory (new waypoints may be required) in a resolution of potential conflicts, the FLA (Flight Level Assignment) problem aims at optimally assigning flight level to reduce the total number of potential en-route conflicts and most importantly the induced cost (generally expressed as delays). In practice, flights are continuously impacted by delays in departure time as well as en-route delays. Unfortunately, a very small deviation of flight departure time may lead to important additional en-route delays due to unpredictable conflicts. Therefore, leveraging the tractable algorithms proposed in [1], a first robust approach to solve the FLA is proposed to tackle the issue of data uncertainty in [2]. Optimization problems in ATM have been widely studied these last decades. We focus on some works related to a certain extent to the flight level assignment problem. Let us first refer to [3], Cook et al. have shown how the uncertainty affects the ATM system and its importance in building a proper model, control it and improve its performance. We focus on an important facet of ATM, namely the flight level assignment, and report some new considerations on this issue and more generally on robust optimization. This work is in continuation of [2, 4].

2 Dealing with uncertainty in FLA

Let be given a general problem : $\max Cx$ such that $Ax \leq b$ and x is binary. A typical constraint in A is expressed as : $\sum_j x_j a_{i,j} \leq a_{i,0}$ and we consider the probabilistic separated constraint problem which gives constraints as : $Pr(\sum_j x_j a_{i,j} \leq a_{i,0}) \geq 1 - \varepsilon$. Following the idea of Klopfenstein in [1], one may relax the initial set of uncertain variables into a subset of variables (I_u) that we intend to control while the other variables are assumed to take their worst-case values. The corresponding constraint will be : $Pr(\sum_{j \in I_u} a_{ij} x_j + \sum_{j \notin I_u} a_{ij} x_j) \geq 1 - \varepsilon$. Coming to our FLA problem, all above is written as :

$$Pr \left(\sum_{j \in S_{il}} p_{ij} x_j^l \leq P_i^l \right) \geq 1 - \epsilon \Leftrightarrow Pr \left(\sum_{j \in S_{il} \cap I_u} p_{ij} x_j^l + \sum_{j \in S_{il} \setminus I_u} \bar{p}_{ij} x_j^l \leq P_i^l \right) \geq 1 - \varepsilon \quad (1)$$

where x_j^l is a binary variable taking 1 if an aircraft j is assigned at level l , 0 otherwise. S_{il} denotes a set of flights having a potential conflict with flight i at level l . P_i^l specifies the admissible induced cost for a given flight i at level l . The induced cost (is a random value due to uncertainty of flight departure times) of flight i when resolving a potential conflict (a conflict happens when two flights at some moment have a separation distance less to security

given distance) with j is denoted by p_{ij} . This random variable takes its values in $[0, \bar{p}_{ij}]$, where \bar{p}_{ij} takes the worst-case value in case of conflict.

The main difficulty of handling this kind of constraints stands in measuring the probability of sum of independent induced cost p_{ij} , knowing that they follow a mixture Gaussian distribution (as shown in [5]) and are censored in $[0, \bar{p}_{ij}]$. More precisely, the distribution of p_{ij} can be represented by a linear mixture of Dirac distribution and a set of truncated Gaussian distributions which are the outcome of mixture Gaussian distribution of flight departure time.

There may be several ways to deal with the model above. A general method is to treat the induced cost as independent random variables and compute a lower bound probability of their sum in (1) by using Hoeffding's inequalities [6]. However, this method provides quite weak bounds as shown in [2]. Another common method is using the Monte-Carlo Simulation method as shown also in [2]. MC simulation gives very good results but it scales not well with large instances. Inspired of closed-form proposed by Beauchamp [7] for the pdf of the sum of independent Gaussian random variables which are censored in $[0, \infty)$, we are working to adapt this model to Robust FLA. The first drawn conclusions show that the problem becomes computationally intractable. We are working on the approximation of this form through 1) approximating mixture Gaussian model and 2) approximating convolution of truncated Gaussian distribution.

3 Conclusions and perspectives

In this work, we try to conduct a tractable and analytical form to evaluate the probability of feasibility of the given robust solution, however, such evaluation may have an exponential number of items to compute. A first approximation herein is made to reduce the number of items during evaluation. A more tight approximation will be investigated in future work. Some numerical results will be shown at the conference. This work is in progress.

4 Acknowledgments

This work was carried out in the framework of the Labex MS2T funded by the French Government through the program "Investments for the future" managed by the National Agency for Research [Reference ANR-11-IDEX-0004-02].

Références

- [1] Olivier Klopfenstein. *Tractable algorithms for chance-constrained combinatorial problems*. RAIRO-Operations Research, 2009.
- [2] Akli Fundo, Dritan Nace, and Chenghao Wang. *A Heuristic Approach for the Robust Flight Level Assignment Problem*. In 5th International Conference on Belief Functions, 2018.
- [3] Andrew Cook et al. *Applying complexity science to air traffic management*. Journal of Air Transport Management, 2015.
- [4] Olivier Klopfenstein and Dritan Nace. *The robust flight level assignment problem*. In 3rd International Conference on Research in Air Transportation, 2008.
- [5] Yufeng Tu, O Ball Michael, and S Jank Wolfgang. *Estimating flight departure delay distributions—a statistical approach with long-term trend and short-term pattern*. Journal of the American Statistical Association, 2008.
- [6] Wassily Hoeffding. *Probability inequalities for sums of bounded random variables*. Journal of the American statistical association, 1963.
- [7] Maxime Beauchamp. *On numerical computation for the distribution of the convolution of N independent rectified Gaussian variables*. Journal de la Société Française de Statistique, 2018.